




TYPICAL DETAIL AT FOOTING  
CORNERS AND INTERSECTIONS  
NOT TO SCALE



CONSTRUCTION JOINT (C.J.)



SAWED JOINT DETAIL (S.J.)




TYPICAL DEPRESSED SLAB DETAIL  
NOT TO SCALE


### PERMANENT TRUSS BRACING

PROVIDE THE FOLLOWING PERMANENT TRUSS BRACING. FASTENED TO ALL TRUSSES WITH TWO 10d NAILS.


- A. PERMANENT LOWER CHORD BRIDGING AT SPACING REQUIRED BY TRUSS MANUFACTURER CONSISTING OF 2x4's LAID FLAT ON THE TOP OF THE BOTTOM CHORD OF TRUSSES.
- B. 2x4 LATERAL CROSS BRACING AS INDICATED IN THE DIAGRAM BELOW EXTENDING THE FULL LENGTH OF THE BUILDING. SEE ROOF FRAMING KEY PLAN FOR LOCATION.



BRACING DIAGRAM  
FOR WOOD ROOF TRUSSES  
NOT TO SCALE



3-PLY CONNECTION (LVL / DIM. LUMBER)



2-PLY CONNECTION (LVL / DIM. LUMBER)

NOTE: PROVIDE GLUE BETWEEN ALL PLYS.

NOTE: BOLT HOLES ARE TO BE THE SAME DIAMETER AS THE BOLT. WASHERS ARE TO BE USED UNDER HEAD AND NUT.

### TYPICAL MULTI-PLY BEAM CONNECTION DETAILS

NOT TO SCALE


### HEADER SCHEDULE

MARK	DESCRIPTION	END BEARING CONDITION	REMARKS
H-1	(3)-2x6 W/ 1/2" PLYWOOD SPACER	(1)-JACK STUD & (2) FULL HEIGHT STUD @ EACH END	FASTEN EA. PLY w/ (3)-10d NAILS @ 12"o/c
H-2	(2)-2x12 W/ 1/2" PLYWOOD SPACER	(2)-2x12 JACK STUD & (2) FULL HEIGHT STUD @ EACH END	FASTEN EA. PLY w/ (3)-10d NAILS @ 12"o/c


NOTE: JACK AND FULL HEIGHT STUDS ARE SAME SIZE AS WALL STUDS.





HUDSON+ASSOCIATES  
ARCHITECTS  
120 WEST QUEENS WAY SUITE 201 HAMPTON, VA.  
(757) 722-1964 23669



BROGDEN LANE  
ICF / MR HOME  
FOR HNN C&B



SEPT. 3, 2008



TYPICAL DETAILS  
AND SCHEDULE

JOB NUMBER 0704

S0.02